

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : DR-464

Stream : Foss Ditch

Applicant : Lake County Drainage Board
Dan Gossman
2293 North Main Street
Crown Point, IN 46307

Description : The purpose of the project is to restore Foss Ditch to its original drainage capacity, improve bank stability, and decrease downstream sedimentation problems. Proposed activities include removal of accumulated sediment from the bottom of the ditch, installation of sediment traps, placement of rip rap for bank protection, placement of erosion control blankets for bank stability, and log jam and tree removal. A restoration of Foss Ditch drainage is proposed. Details of the project are contained in information and plans received at the Division of Water on September 22, 2006.

Location : The project begins at 125th Avenue, just east of the intersection with Clark Street. It continues south/southwest for approximately 4.25 miles until it empties into Lake Dalecarlia near 153rd Avenue near Cedar Lake, Center Township, Lake County Section 18, T 34N, R 9W, St. John Quadrangle Quad Code: 4108744

Statute/Rule : "Ditch" Act, IC 14-26-5

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23999

Stream : Unnamed Tributary Big
Raccoon Creek

Applicant : Phillip and Patty Prosser
Phil Prosser
4212 East SR 234
Ladoga, IN 47954

Description : Approximately 500' of an unnamed tributary to Raccoon Creek will be
straightened, and silt will be dredged from the bottom of the channel. Specific
project information will be added to the description as the application is further
reviewed. Details of the project are contained in information and plans received
at the Division of Water on September 12, 2006 and September 19, 2006.

Location : Beginning at the State Road 234 stream crossing and extending downstream
approximately 500'
DOWNSTREAM: near Ladoga, Clark Township, Montgomery County
S $\frac{1}{2}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 18, T 17N, R 3W, Ladoga Quadrangle
Quad Code: 3908687
UTM Coordinates: Downstream 4418080 North, 516570 East
UPSTREAM: Montgomery County

UTM Coordinates: Upstream 4418150 North, 516580 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312
IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24002

Stream : West Fork White River

Applicant : Riverwalk Inc
Steve Schwartz
118 Cicero Road
Noblesville, IN 46060-1401

Description : The City of Noblesville proposes to construct Phase 1 of the Riverwalk project along the west side of Downtown Noblesville. Construction in the floodway will include approximately 205' of sidewalk with an adjoining brick tie-back wall and guardrail. The tie-back wall will extend upstream of the overall project to allow for future development of the path. The overbank will be cut back to accomodate the path. Details of the project are contained in plans and information received at the Division of Water on September 18, 2006.

Location : In the left overbank just upstream of the State Road 32 bridge extending downstream about 150'
DOWNSTREAM: near Noblesville, Noblesville Township, Hamilton County
SE¼, SE¼, Section 36, T 19N, R 4E, Noblesville Quadrangle
Quad Code: 4008611
UTM Coordinates: Downstream 4433281 North, 583826 East
UPSTREAM:
UTM Coordinates: Upstream 4433316 North, 583851 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24003

Stream : French Lick Creek

Applicant : Collier Enterprises LLC
John W Collier
2791 Old SR 145
French Lick, IN 47432-9438

Description : A commercial facility will be developed along the east right bank of the river. The facility will consist of a 80' by 200' hotel, a 100' by 100' theater, and a 800' by 900' commercial/retail structure. Additionally the surrounding areas of the site will be paved parking. The entire developed area will be constructed on fill. The fill will cover a 300' by 1000' area and will vary in depth from 1' at the landward edge to 6' near the stream. It will be set back 5' from the top of the stream bank and will have a finished elevation of 490.0', NGVD. The fill will have 3:1 side slopes from the finished grade down to the existing floodplain elevations. The parking area will be constructed at the fill's finished elevation. The buildings' lowest floor elevations will be 491.0', 491.5', and 491.3', NGVD. Details of the project are contained in information and plans received at the Division of Water on September 19, 2006.

Location : Approximately 300' east of the intersection of SR 145 and Arnold F. Habig Boulevard, extending east 400' and south 1000'
DOWNSTREAM: at French Lick, French Lick Township, Orange County
E $\frac{1}{2}$, NE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 3, T 1N, R 2W, French Lick Quadrangle
Quad Code: 3808655
UTM Coordinates: Downstream 4266772 North, 534041 East
UPSTREAM:
UTM Coordinates: Upstream 4266470 North, 534052 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24004

Stream : Little Sugar Creek

Applicant : Bell Mortuary
Jeff Bell
1444 West US 52
Finly, IN 46129

Description : A proposed 63' x 172' mortuary will be constructed. Details of the project are contained in information and plans received at the Division of Water on September 18 2006.

Location : 1444 West US 52; along the east (left) bank, beginning at the US 52 stream crossing and continuing upstream approximately 300'
DOWNSTREAM: near Finly, Brandywine Township, Hancock County
S½, N½, Section 35, T 15N, R 6E, Fountaintown Quadrangle
Quad Code: 3908567
UTM Coordinates: Downstream 4395660 North, 600300 East
UPSTREAM:
UTM Coordinates: Upstream 4395710 North, 600330 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24006

Stream : Flatfork Creek

Applicant : Hamilton County
Matt Knight
1700 South 10th Street
Noblesville, IN 46060-3835

Description : A new bridge will be constructed over Flatfork Creek to carry 101st Street across the stream. The new structure will be a single span pre-stressed concrete I-beam bridge with a span length of 85'. The structure will have an out-to-out length of 91' and a clear roadway width of 41'2". The spill through abutments will have 2:1 sideslopes armored with rip rap placed over a geotextile fabric. The abutments will be skewed 5 degrees to align with streamflow. The approach road will be elevated a maximum of 10.5' above the existing grade. Details of the project are contained in information and plans received at the Division of Water on September 19, 2006.

Location : At the 101st Street stream crossing
near Fortville, Fall Creek Township, Hamilton County
NE¼, NE¼, SW¼, Section 8, T 17N, R 6E, Ingalls Quadrangle
Quad Code: 3908587
UTM Coordinates: Downstream 4421280 North, 596240 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24007

Stream : Jackson Creek

Applicant : Sherwood Hills Inc
Philip O Tapp
820 Auto Mall Road
Bloomington, IN 47401-5430

Description : An asphalt pedestrian trail will be constructed in the floodway of Jackson Creek. The trail will be approximately 3000' in length and 12' wide. The trail is in association with residential and commercial development landward of the floodway. Details of the project are contained in information and plans received at the Division of Water on September 19, 2006.

Location : Beginning approximately 1150' west and 1350' south of the intersection of Snooky Road and Rogers Road extending downstream in the right overbank approximately 3300'
DOWNSTREAM: near Bloomington, Perry Township, Monroe County
SE $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 15, T 8N, R 1W, Bloomington Quadrangle
Quad Code: 3908625
UTM Coordinates: Downstream 4330835 North, 542909 East
UPSTREAM: NW $\frac{1}{4}$, SE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 14

UTM Coordinates: Upstream 4331532 North, 543740 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24009

Stream : Symons Creek

Applicant : Town of Dublin
Lloyd Davis
PO Box 145
Dublin, IN 47335-0145

Description : An existing 10' x 10' well house will be replaced with a 12' x 12' concrete block well house. The new structure will have an exterior staircase and will be built around the footprint of the existing structure. The existing well casing, pump and platform will not be relocated or removed. Details of the project are contained in plans and information received at the Division of Water on September 19, 2006.

Location : At the existing White River North Surface Water Treatment Facility approximately 350' south (downstream) of the US 40 creek crossing and approximately approximately 100' of the east bank
near Dublin, Dudley Township, Henry County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 30, T 16N, R 12E, Cambridge City Quadrangle
Quad Code: 3908572
UTM Coordinates: Downstream 4408244 North, 651710 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24010

Stream : Unnamed Tributary Griffy Creek

Applicant : Indiana University
Greg A Olyphant
Dept. of Geological Sciences
Indiana University
Bloomington, IN 47405-2208

Description : Approximately 0 ft of the stream channel will be realigned and straightened in the construction of the rectangular weir. The weir will be approximately 3 ft wide. It will be flush with the stream bed, have a width of approximately 20 ft in order to cover the entire width of the stream, and its sides will mimic the stream bank. Additionally, approximately 3 ft of existing channel immediately in the area where the weir will be constructed will be cleared of brush and debris.
A realignment of a channel is proposed. Details of the project are contained in information received electronically at the Division of Water on September 21, 2006.

Location : The site is located in the Sycamore Valley Creek, approximately 887 feet due east of University Lake's east bank
near Bloomington, Bloomington Township, Monroe County
NW¼, SW¼, NW¼, Section 26, T 9N, R 1W, Unionville Quadrangle
Quad Code: 3908624

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24011

Stream : Honey Creek

Applicant : Gradex, Inc.
Jason Dapp
3685 Priority Way S. Drive
Suite 140
Indianapolis, IN 46240

Description : Two temporary stream crossings will be constructed across Honey Creek for the purpose of accessing a borrow area for dirt needed to construct a state highway road project (INDOT Contract R-28177-A). The two temporary stream crossings will be used by construction trucks to haul borrow dirt for the highway project for a period of time estimated to equal 18 months. Both temporary stream crossings will consist of five 4' diameter reinforced concrete culverts set side-by-side with a spacing of approximately 3' between culverts. The temporary roadway will be made of compacted dirt with a top-of-road surface set approximately 2.0' above the outside crown of the culverts. The temporary roadway surface will have a width of approximately 50' at each crossing. The culverts will all have a length of approximately 80' and will project out from the road embankment on both ends. The entire length of the temporary crossings will have a 2' thick layer of 12" rip rap placed on both the upstream and downstream embankment side slopes which will have a 2:1 side slope. The west crossing will have upstream culvert invert elevations of approximately 489.8', NGVD and downstream culvert invert elevations of approximately 489.6', NGVD. The east crossing will have upstream culvert invert elevations of approximately 488.8', NGVD and downstream culvert invert elevations of approximately 488.6', NGVD. The left and right overbanks of the stream at both temporary stream crossings will be temporarily excavated to provide an approach road to the temporary crossings which will have their roadway surfaces set below the high bank elevations to permit overtopping during flooding events. The crossing locations will minimize the loss of trees along the stream. After completion of the construction project, the temporary crossings will be removed and the streambanks and overbanks will be restored. The east temporary stream crossing will cross the stream approximately 2000' downstream of the McDaniel Road crossing of the stream and the west crossing will cross the stream approximately 3000' downstream of the McDaniel Road Crossing. Both crossing sites are part of a contiguous construction site. Two temporary stream crossings are proposed. Details of the project are contained in information received electronically at the Division of Water on September 22, 2006.

Location : Along Honey Creek south of Terre Haute approximately 2000' and 3000' downstream of McDaniel Road crossing of Honey Creek
near Terre Haute, Honey Creek Township, Vigo County
Section 14, T 11N, R 9W, Terre Haute Quadrangle
Quad Code: 3908744

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24019

Stream : White Lick Creek

Applicant : Town of Plainfield
Jason Castetter
986 S. Center St.
Plainfield, IN 46168

Description : A 10' wide asphalt path for pedestrians to travel from Buchanan Street to US Hwy 40. The path is approximately 988 linear feet. The path ends just south of US Hwy 40. The path will have limited vehicular access primarily to allow the town utility manager to access the lift station south of Buchanan Street. An area of approximately 1400 sq ft around the lift station will be paved. Dimensions and proposed grading is shown on the plans. Grading was design to be ADA (American Disabilities Act) compatible. This will involve some cut and fill. Details of the project are contained in information received electronically at the Division of Water on September 27, 2006.

Location : West of Buchanan Street continuing along the stream bank to just south of US Hwy 40
at Plainfield, Guilford Township, Hendricks County
Section 34, T 15N, R 1E, Plainfield Quadrangle
Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-20578

Lake : Dallas Lake

Applicant : E Kent Martz
1404 Ardsley Court
Fort Wayne, IN 46815-8323

Description : An existing 40' seawall will be repaired or rebuilt, and an additional 10' will be constructed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on September 19, 2006.

Location : 650 South 70E
near Wolcottville, Johnson Township, LaGrange County
SE¼, SW¼, NE¼, Section 30, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4600755 North, 632510 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20581

Lake : Waldron Lake

Applicant : Terry V Grove
9922 North Eagle Island Road
Rome City, IN 46784

Description : We wish to add peagravel and or sand to our existing beachfront to solidfy the the bottom. An addition of peagravel or sand is proposed. Details of the project are contained in information received electronically at the Division of Water on September 22, 2006.

Location : 9922 North Eagle Island Road
near Rome City, Elkhart Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20582

Lake : Lake Manitou

Applicant : Warren D Brown
2104 Smith Court
Rochester, IN 46975-9728

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 70' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information received electronically at the Division of Water on September 22, 2006.

Location : 2104 Smith Court, Lot 54 in Lakeside 3rd Addition
at Rochester, Rochester Township, Fulton County
NW¼, NW¼, SW¼, Section 15, T 30N, R 3E, Rochester Quadrangle
Quad Code: 4108612
UTM Coordinates: Downstream 4544260 North, 568380 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20583

Lake : Sawmill Lake

Applicant : SUSAN URSCHER
115 EMS B42 LANE
LEESBURG, IN 46538

Description : A new seawall will be constructed across 50' of the 50' frontage of the applicant along Sawmill Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be legal shoreline. Details of the project are contained in information received electronically at the Division of Water on September 24, 2006.

Location : Lots 22, 23, 24, 25, 26 Pfeiffer Veach Addition & Pt Vac Rdwy & Pt Vac Alley near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20584

Lake : Waldron Lake

Applicant : West Lakes Conservation Inc
Dave Wick
0781 East Willow Lane
Wawaka, IN 46794-9661

Description : An approximate 800' by 30' area of an existing channel will be restored to its original condition by removing a maximum of 800' of debris from the lakebed. The dredging will be performed by hydraulic pumping. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the lake. Details of the project are contained in information and plans received at the Division of Water on August 31, 2006 and September 22, 2006.

Location : Waldron Lake to Jones Lake Channel; beginning approximately 300' downstream (south) of the County Road 1050 crossing and extending upstream (north) approximately 800'
DOWNSTREAM: near Rome City, Orange Township, Noble County
NE¼, SW¼, SE¼, Section 12, T 35N, R 9E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4595370 North, 631370 East
UPSTREAM: Noble County
SE¼, NW¼, SW¼, Section 7, T 35N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Upstream 4595610 North, 631750 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11